

**THANK YOU:** The employees and management of HYDRO TEK SYSTEMS, INC. thank you for selecting our products. The production and quality assurance team have taken the greatest care to ensure that your new pressure washer exceeds the standards set by you, the customer, by Hydro Tek engineering and ISO9001:2008 quality management standard, and by UL1776 safety certification.

**YOUR RESPONSIBILITY:** This operator's manual was compiled for your benefit. By studying and following the safety, installation, operation, maintenance, and troubleshooting information contained within, you can look forward to many years of trouble-free service from your equipment. Every person who will operate the equipment must read and follow the safety warning and operating instruction sections of this owner's manual prior to use. You are responsible for operating the product properly and safely. You are also responsible to follow the maintenance schedule on the back page of this manual to keep your warranty active.

**FREIGHT DAMAGE:** If delivered by a trucking company, please inspect for any concealed freight damage and note this on the paperwork from the trucking company before signing. Should you find damage has occurred during shipping, do not return the damaged merchandise to Hydro Tek, but file a claim immediately with the freight carrier involved.

**QUESTIONS:** Help us provide you with the fastest service. Please locate the warranty registration card enclosed and return it to Hydro Tek to register your machine. If problems occur, contact the dealer you bought your machine from, a local authorized Hydro Tek service center, or call Hydro Tek at 1-(909) 799-9222 option 4 or ask for technical services.

**GETTING STARTED:** If your dealer has not prepared the machine for startup, you may need to connect the hose to the pressure outlet on the washer and connect the other end of the hose that swivels to the trigger gun inlet and tighten. Mobile Wash Skids are engine powered and shipped from the manufacturer with the fuel tanks empty and without the battery. Connect the battery cables (positive lead first) and follow the operation instructions for starting. High Pressure Steamers are electric powered and will require an appropriate electric outlet or disconnect box and an electric plug that is rated for your machine's voltage and amperage and matches to your electrical socket. Smaller machines are equipped with a ground fault interrupter on the electrical cord and you will need to press the reset button after it is plugged in. (See Operating Instruction section and enclosed page on Installation Guidelines).

**ONE YEAR PARTS & LABOR WARRANTY:** Hydro Tek Systems, Inc. (Hydro Tek) promises to repair Hydro Tek branded power washers if defective in materials or workmanship for one year from the date of original retail purchase including the cost of PARTS and LABOR, but you must pay transportation/shipping costs and travel time.

**LIFETIME PARTS/ONE YEAR LABOR WARRANTY:** The Spiralast™ heating coil (up to 4200psi) on the Hydro Tek branded product line includes a lifetime parts warranty and a replacement coil will be provided as long as you own the machine. (Starting February 2014 mfg dates)

**ONE YEAR PARTS WARRANTY:** Hydro Tek will provide replacement parts on accessories and on all other product brands including Hot2Go power washers, Hydro Vacuum, or Hot Link heaters. (Labor is not included)

**TWO YEAR EVAPORATIVE EMISSIONS CONTROL SYSTEM WARRANTY:** Hydro Tek will repair or replace a defective evaporative emission control system (EECS) part on your pressure washer for a period of two years. (*more information on next page*)

### Items and Conditions Not Covered:

1. Normal wear items such as discharge hose, guns, wands, spray arms, nozzles, quick couplers, o-rings, motor & generator brushes, filters, fuses, belts, & tires.
2. Cost of regular maintenance/adjustments, damage from lack of maintenance or correct operation
3. Damage due to freezing, abrasive fluids, chemical deterioration, scale build-up, or water ingress.
4. Damage from fluctuation in electrical or water supply.
5. Any product or part that has been altered, modified, over pressurized, misused, or has been in an accident.
6. Dealer installation or damage from improper installation of the machine or alteration by a dealer or promise of additional warranty from dealer. The manufacturer warranty is not transferable from the dealer to the retail purchaser on used or rented equipment.
7. Labor is not paid if the dealer that serviced your machine is not an authorized service center.
8. Labor is not paid on added accessories such as surface cleaners, hose reels, wastewater recovery, hot link water heaters, and filtration.

**WARRANTY PROVIDED BY OTHERS:** Gasoline and diesel engines and some electric motors are warranted by the manufacturer of the component and their warranty is provided through the manufacturer's service centers. Contact your authorized distributor for the closest repair center. Additional extended warranties

from 3 to 5 years may be provided by engine or pump manufacturer.

**GENERAL CONDITIONS:** Hydro Tek's responsibility with respect to claims is limited to making the required repairs or replacements to the original retail purchaser, and no claim of breach of warranty shall be cause for any cancellation or rescission of the contract of sale of any Hydro Tek product. Hydro Tek reserves the right to change or improve the design of any of its products or illustrations without assuming any obligation to modify any product previously manufactured.

This supersedes any and all previous warranty statements for products purchased after November 2015. Hydro Tek is not liable for indirect, incidental or consequential damages including any cost of substitute equipment, loss of revenue, pecuniary expense or loss, or inability to use a Hydro Tek product. Hydro Tek disclaims all implied warranties, including those of merchantability and fitness for use for a particular purpose. Some states do not allow exclusions or limitations on how long an implied warranty lasts, so the above exclusions may not apply to you. It is the buyer's responsibility to ensure installation and use of Hydro Tek products conforms to local codes.

**INTERNATIONAL END USERS:** Warranty is furnished by authorized Hydro Tek dealers or distributors only; and the warranty may vary depending on the dealer or distributor and may be different from Hydro Tek's warranty; please consult distributor for details.

**HOW TO OBTAIN WARRANTY SERVICE:**

1. List washer model# \_\_\_\_\_.  
List serial # \_\_\_\_\_ (on base plate of machine near the motor/engine).
2. Contact your local service dealer and return the Hydro Tek washer or part within the warranty period along with your sales receipt. To locate service, call customer service at Hydro Tek or go to: [www.hydrotek.us](http://www.hydrotek.us) and enter your zip code.
3. You also have the option to obtain a return goods authorization and ship the questionable part freight prepaid directly to the manufacturer. The part will be evaluated upon receipt. If found defective, Hydro Tek will repair or replace part under the conditions of warranty and return to you.
4. If the defective component is an engine or motor made by another manufacturer, we, or your authorized Hydro Tek dealer, can help you obtain warranty service through the specific manufacturer's local authorized service center.
5. If you are unable to resolve the warranty claim, write to Hydro Tek Systems, Inc. 2353 Almond Ave. Redlands, CA 92374 USA, Attn.: Technical Services. Please enclose a copy of the dated purchase receipt and explain the nature of the defect.

**EVAPORATIVE EMISSION CONTROL STATEMENT**

The California Air Resources Board and Hydro Tek Systems, Inc. are pleased to explain the evaporative emission control system's warranty on your 2023 Pressure Washer. In California, new equipment that use small off-road engines must be designed, built, and equipped to meet the State's stringent antismog standards. Hydro Tek Systems, Inc. must warrant the evaporative emission control system on your Pressure Washer for the period listed below provided there has been no abuse, neglect or improper maintenance of your equipment leading to the failure of the evaporative emission control system.

Your evaporative emission control system may include parts such as: carburetors, fuel tanks, fuel lines (for liquid fuel and fuel vapors), fuel caps, valves, canisters, filters, clamps, connectors, and other associated components.

**MANUFACTURER'S WARRANTY COVERAGE:**

This evaporative emission control system is warranted for two years. If any evaporative emission-related part on your equipment is defective, the part will be repaired or replaced by Hydro Tek Systems, Inc.

**OWNER'S WARRANTY RESPONSIBILITIES:**

As the Pressure Washer owner, you are responsible for performance of the required maintenance listed in your owner's manual. Hydro Tek Systems, Inc. recommends that you retain all receipts covering maintenance on your Pressure Washer, but Hydro Tek Systems, Inc. cannot deny warranty coverage solely for the lack of receipts.

As the Pressure Washer owner, you should be aware that Hydro Tek Systems, Inc. may deny you warranty coverage if your Pressure Washer or a part has failed due to abuse, neglect, or improper maintenance or unapproved modifications.

You are responsible for presenting your Pressure Washer to a Hydro Tek Systems, Inc. distribution center or service center as soon as the problem exists. The warranty repairs shall be completed in a reasonable amount of time, not to exceed 30 days. If you have a question regarding your warranty coverage, you should contact Hydro Tek Systems, Inc., at 1-909-799-9222.

**GENERAL EMISSIONS WARRANTY COVERAGE:**

Designed, built, and equipped so as to conform with all applicable regulations; and free from defects in materials and workmanship that causes the failure of a warranted part for a period of two years.

The warranty on evaporative emissions-related parts will be interpreted as follows:

- (1) Any warranted part that is not scheduled for replacement as required maintenance in the written instructions required by 13 CCR § 2760 (e) must be warranted for the warranty period defined above. If any such part fails during the period of warranty coverage,

it must be repaired or replaced by the Holder or the Holder's contracted warranty provider according to subsection (4) below. Any such part repaired or replaced under the warranty must be warranted for a time not less than the remaining warranty period.

(2) Any warranted part that is scheduled only for regular inspection in the written instructions required by 13 CCR § 2760 (e) must be warranted for the warranty period defined above. A statement in such written instructions to the effect of "repair or replace as necessary" shall advise owners of the warranty coverage for evaporative emissions related parts. Replacement within the warranty period is covered by the warranty and will not reduce the period of warranty coverage. Any such part repaired or replaced under warranty must be warranted for a time not less than the remaining warranty period.

(3) Any warranted part that is scheduled for replacement as required maintenance in the written instructions required by 13 CCR § 2760 (e) must be warranted for the period of time prior to the first scheduled replacement point for that part. If the part fails prior to the first scheduled replacement, the part must be repaired or replaced by the manufacturer according to subsection (4) below. Any such part repaired or replaced under warranty must be warranted for a time not less than the remainder of the period prior to the first scheduled replacement point for the part.

(4) Repair or replacement of any warranted part under the warranty provisions of this article must be performed at no charge to the owner at a warranty station.

(5) Notwithstanding the provisions of subsection (4) above, warranty services or repairs must be provided at distribution centers that are franchised to service the subject engines or equipment.

(6) The owner must not be charged for diagnostic labor that leads to the determination that a warranted part is in fact defective, provided that such diagnostic work is performed at a warranty station.

(7) Throughout the evaporative emission control system's warranty period set out in subsection (b)(2), the Holder or the Holder's contracted warranty provider must maintain a supply of warranted parts sufficient to meet the expected demand for such parts and must obtain additional parts if that supply is exhausted.

(8) Manufacturer-approved replacement parts that do not increase the exhaust or evaporative emissions of the engine or evaporative emission control system must be used in the performance of any warranty maintenance or repairs and must be provided without charge to the owner. Such use will not reduce the warranty obligations of the Holder or the Holder's contracted warranty provider.

(9) The use of add-on or modified parts may be grounds for disallowing a warranty claim made in accordance

with this Article. The Holder or the Holder's contracted warranty provider will not be liable under this Article to warrant failures of warranted parts caused by the use of an add-on or modified part.

(10) The Holder shall provide any documents that describe that Holder warranty procedures or policies within five working days of request by the Executive Officer.

### WARRANTED PARTS:

The repair or replacement of any warranted part otherwise eligible for warranty coverage may be excluded from such warranty coverage if Hydro Tek Systems, Inc. demonstrates that the Pressure Washer has been abused, neglected, or improperly maintained, and that such abuse, neglect, or improper maintenance was the direct cause of the need for repair or replacement of the part. That notwithstanding, any adjustment of a component that has a factory installed, and properly operating, adjustment-limiting device is still eligible for warranty coverage. The following emission warranty parts list are covered (use portions of this list applicable to your Pressure Washer):

- (1) ..... Fuel Tank
- (2) ..... Fuel Cap
- (3) ..... Fuel Lines (for liquid fuel and fuel vapors)
- (4) ..... Fuel Line Fittings
- (5) ..... Clamps\*
- (6) ..... Pressure Relief Valves\*
- (7) ..... Control Valves\*
- (8) ..... Control Solenoids\*
- (9) ..... Electronic Controls\*
- (10) ..... Vacuum Control Diaphragms\*
- (11) ..... Control Cables\*
- (12) ..... Control Linkages\*
- (13) ..... Purge Valves\*
- (14) ..... Gaskets\*
- (15) ..... Liquid/Vapor Separator
- (16) ..... Carbon Canister
- (17) ..... Canister Mounting Brackets
- (18) ..... Carburetor Purge Port Connector

\*Note: As they relate to the evaporative emission control system.

### ELECTRICAL PRECAUTIONS:

1. **Observe all State, Local, and National codes for the installation of your electrically powered washer.**
2. For a grounded product rated 250 volts, single phase, or less: This product is provided with a ground fault circuit interrupter built into the power cord plug. (8hp single phase excluded; order GFCI separately). If replacement of the plug or cord is needed, use only identical replacement parts.
3. **GROUNDING INSTRUCTIONS:**  
Cord Connected, Grounded Products: